

CE

n. 718165101/OE

2016/12/19

89/686/EEC. „CE

SEVEN SPORT s.r.o.

Dělnická 957, Vítkov 749 01, CZECH REPUBLIC

- **FB** (full back)

II:

“W-TEC”



_____ ;
_____ : PES
"W-TEC" _____ ;
_____ (_____) :
_____ : PU,
_____ : PU,
_____ : RBEVA,
_____ : PU,
_____ : PU,
_____ (_____) :
_____ :
_____ :

Te : **EN 1621-2:2014**
("RCT" 2:

20°C)

Type of back protector:
FB= full back

	EN 1621-2:2014 (min.-max. cm)
S	36-40
M	38-43
L	41-46
XL	46-51

: **DC-8000** (RCT).

: **RCT n°354821/E.**

89/686/EEC

CE TYPE APPROVAL CERTIFICATE

n. **718165101/OE**

2016/12/19

This is to certify, that the hereunder described items of Personal Protective Equipment have overcome positively the "CE type examination", proving their conformity to the safety and health requirements of the Directive 89/686/EEC.

Manufacturer: (Responsible of the PPE)	SEVEN SPORT s.r.o. Dělnická 957, Vítkov 749 01, CZECH REPUBLIC											
Type of PPE:	Back protector for motorcycling and winter sports use - Type FB (full back)											
Category of PPE:	II: Personal Protective Equipment against "medium" risks. This certificate is based on reference standards listed below: its validity is no longer ensured should new version of the standards come into force.											
Model	"W-TEC SOFT BACK PROTECTOR"											
Description:	<p><u>design</u>: multilayer construction; <u>external coating</u>: declared black PES with silver and yellow-fluo printings marked "W-TEC" in yellow-fluo and white colors; <u>padding</u>: - first layer : declared black PU, partially perforated; - second layer: declared black PU, partially perforated; - third layer: declared black RBEVA, partially perforated; - fourth layer: declared black PU, partially perforated; - fifth layer : declared black PU, partially perforated; <u>internal coating (in contact with the body)</u>: black three-dimensional fabric; <u>edge</u>: black stretch fabric; <u>fastening system</u>: by means of a black elastic band with a hook and loop fastener with an edge made of black fabric and black stretch adjustable braces.</p>											
Technical Standard:	EN 1621-2:2014 (plus "RCT" integration of tests under conditioning at -20°C)	Motorcyclists' protective clothing against mechanical impact - Part 2: Motorcyclists' back protectors – Requirements and test method.										
	Intended use:	preventive use during motorcycling and winter sports activities. This back protector must always be properly connected and fixed to its garment and with all other suitable P.P.E. and sports clothing in order to ensure the most complete protection.										
Size range:	<table border="1"> <thead> <tr> <th>Commercial size</th> <th>Size in accordance with EN 1621-2:2014 (waist – to – shoulder length range min.-max. in cm)</th> </tr> </thead> <tbody> <tr> <td>S</td> <td>36-40</td> </tr> <tr> <td>M</td> <td>38-43</td> </tr> <tr> <td>L</td> <td>41-46</td> </tr> <tr> <td>XL</td> <td>46-51</td> </tr> </tbody> </table>		Commercial size	Size in accordance with EN 1621-2:2014 (waist – to – shoulder length range min.-max. in cm)	S	36-40	M	38-43	L	41-46	XL	46-51
Commercial size	Size in accordance with EN 1621-2:2014 (waist – to – shoulder length range min.-max. in cm)											
S	36-40											
M	38-43											
L	41-46											
XL	46-51											
Type of back protector: FB= full back												
Technical File:	DC-8000 (including Application to RCT and Technical Documents).											
Test report:	RCT n°354821/E.											
Basis of evaluation:	applicable requirements of European Directive 89/686/EEC and reference Standards.											



CE TYPE APPROVAL CERTIFICATE

n. **718165101/OE**

2016/12/19

Functions and performance levels: to reduce the severity of traumas caused by impacts. The protectors provide limited protection against mechanical impact in case of falls.

Typical test results obtained (see also Test Report): method: "Kerbstone" impact testing at 50 J;

MANDATORY: from the values of the transmitted force obtained at standard ambient conditions and after hydrolytic treatment (wet conditions) the performance level reached is **level 2**.

OPTIONAL: Besides this protector has passed the test at low (24 h /-20 ±2°C) temperature with **level 2**. The overall level of performance reached is level 2.

Note: The Standard provides 2 performance levels with level 2 meaning the higher performance. The protective functions depend also on the correct positioning of the protector, which falls within the responsibility of the user.

Marking: marked on the protector and displaying the following information:

(see example below)

- **CE Marking** attesting the conformity to the requirements of the PPE Directive 89/686/EEC (and later amendments);
- Name, address and web contact of the Manufacturer;
- item identification (unique/unambiguous);
- pictogram to indicate the motorcycle use, indication of the type, overall performance level reached during laboratory tests, symbol T- for the low temperature optional impact test;
- nr. and year of the Harmonized Standard of reference;
- pictogram required by the Standard for the indication of the W-S length;
- additional pictogram (man skiing) chosen by the Manufacturer to indicate the winter sport use;
- pictogram "i in the booklet" inviting to read the User Manual;
- additional information: care label symbols, "Made in...".



Note: the Technical File contains a more detailed description of the PPE (material, method of assembly, photographs or drawings), performance data, safety functions and level of protection, elements of conformity to the basic and supplementary requirements. The Technical File is integral part of the present Certification, which has to be kept available by the applicant to be forwarded - upon request - to the entitled person (supervising body, Controlling Officer).